

olivetti



FAX_LAB

480

PLAIN-PAPER INK-JET FAX

FAX_LAB

480

PLAIN-PAPER INK-JET FAX

The professional plain-paper fax with integrated digital answer-phone. Fast and practical, with impressive paper management and a full range of phone functions. The Olivetti FAX_LAB 480 is the ideal tool for professionals or small businesses.



MAIN CHARACTERISTICS

FAX		COPIER	
ANSWER PHONE		MEMORY	
PHONE		PLAIN PAPER	
SMS		CARTRIDGE	





LONG-LIFE CONSUMABLES
Olivetti FJ 31 cartridge



HIGH PAPER CAPACITY
up to 100 cut sheets



CENTRAL NAVIGATOR with all function keys close at hand

DESIGN AND PERFORMANCE

With an **innovative ergonomic design, enlivened by stylish colour accents**, the FAX_LAB 480 is a state-of-the-art product for professionals.

The high-speed 14,400 bps modem transmits an A4 page in just 7 seconds. The device also offers impressive operating autonomy: the document memory stores up to 100 pages, the automatic document feed holds 20 pages, and the paper tray has a 100-sheet capacity.

TELEPHONE

For maximum flexibility, the range of **advanced telephone features includes caller ID, a 60-number phonebook, hands-free dialling and hands-free speaking**, as well as a list of unanswered calls.

ANSWERPHONE

The FAX_LAB 480 is equipped with a **modern, practical answerphone**, with remote access, a 15-minute memory and indefinite retention of the recorded messages in the event of power failure. Incoming message time can be configured as required. The display shows the date and time of messages in playback.

SMS TEXT MANAGEMENT

A key feature of this fax is the **SMS function**, for writing, sending and receiving texts and, **particularly important, printing incoming texts**.

EASY TO USE

The control panel of the FAX_LAB 480 has been restyled, for enhanced ergonomics and ease of use. The main element is the centrally positioned **intuitive navigator, surrounded by all the main function keys**. The LCD display is placed above the control panel, so that all the programming keys are close at hand.

QUALITY

Ink-jet technology delivers better printing quality than thermal transfer technology, a difference that is particularly apparent in greyscale documents. The long-life print cartridges guarantee autonomy and keep running costs down. And like all Olivetti fax, the FAX_LAB 480 ensures security and confidentiality: **no traces are kept of documents after reception or copying**.





FAX_LAB 480 TECHNICAL SPECIFICATION

FAX	Print method	Ink jet on plain paper	Scan resolution	200 x 200 dpi
	Compatibility	Group 3	Contrast control	Manual
	Transmission speed	7 seconds at 14,400 bps with Automatic Fall Back	Greyscale	64 levels
	Compression method	MH, MR, MMR with Error Correction Mode (ECM)	Phone book One-touch/quick dialling	10/50 numbers
	Document format	max A4	Functions	<ul style="list-style-type: none"> - Transmission from memory, circulars, deferred transmission to up to 10 numbers - Out-of-paper reception - Automatic fax/telephone and answerphone/fax switching - Silent reception - Polling transmission and reception
	Automatic document feed	20 pages		
	Paper tray	100 cut sheets (80 g/m ²)		
Memory (pages)	100 (ITU-TS no.1 sample text, MH compression, 3.8% coverage)			
TELEPHONE	Functions	<ul style="list-style-type: none"> - Hands-free dialling - Hands-free speaking - Caller ID - Call on hold with mute key 	Answerphone	<ul style="list-style-type: none"> - 15-minute message recording time - Incoming messages configurable from 30 to 60 sec. - Unlimited retention of recorded messages - Message transfer to predefined number - Call monitor - Personal access code - Remote access
	SMS *	<ul style="list-style-type: none"> - SMS text creation (characters associated with number keys) - SMS text transmission to fixed and mobile numbers and e-mail addresses 	Reception functions	<ul style="list-style-type: none"> - Max storage capacity 30 SMS texts - Printing of incoming SMS texts
COPIER	Copy mode	Single sheets	Multicopy	Up to 9 copies
	Zoom	50%, 70%, 100%, 140%		
OTHER CHARACTERISTICS	Display	2 lines x 16 characters, texts in 9 languages	Absorption	3 W in stand by, 25 W max
	Dimensions (WxDxH)	355 x 332 x 304 mm (with paper holders)	Consumables	<ul style="list-style-type: none"> - Starter cartridge: included in box - User cartridge: FJ 31, code B0336F, capacity 450 pages (ITU-TS no. 1 sample text, MH compression, 3.8% coverage)
	Weight	3.5 kg		

*where service is provided by local operators

Product performances are referred to an appropriate use under optimal conditions. With the right to change technical specifications. The registered trademarks are the property of their respective owners.



FAX_LAB 480 is distributed in East and Central Africa by Olitec International Limited. P.O. Box 1435, Kampala, Uganda. Tel: +256-414-256485 Fax: +256-414-256485 Cell: +256-772-450494 Email: sales@olitecint.com